

PAINT-IT INFO TECH

Paint-it è leggero, ironico, spensierato.
Questa collezione ripropone un legno ceramico colorato. Il fondo bianco, opaco e morbido è caratterizzato da vene pastello, 4 colori, giallo, verde, rosa e blu e 2 tonalità neutre bianco e nero. Proposto in 3 formati 15x119,5 e 7,5x119,5 per dare maggiore slancio alle venature e in 7,5x60 tagliato contro vena, dal tipico taglio rustico del legno ma interpretato con colori tenui.
Diverse possono essere le combinazioni tra formati e colori tutte da interpretare. Buon divertimento!
Paint-it Paint everything.

Paint-it is light, ironic, carefree.
This collection proposes a coloured ceramic wood. The opaque and soft white background features pastel grain, 4 colours, yellow, green, pink, blue and 2 neutral shades of black and white.
Offered in 3 sizes 15x119.5 and 7.5x119.5 to give greater impetus to the grain and 7.5x60 cut against the grain, a typical rustic wood cut but interpreted with pale colours.
Different combinations of sizes and colours are possible, all to be interpreted. Have fun!
Paint-it Paint everything.



TECHNICAL DETAILS

PAINT-IT COLORS

PAINT-IT

TECHNOLOGY PORCELLANATO DIGITAL HD AD IMPASTO COLORATO - HD DIGITAL COLORED BODY PORCELAIN

FINISH OPACO RETTIFICATO - NATURAL RECTIFIED

THICKNESS 9,5 MM




15X119,5 6"X48"



7,5X119,5 3"X48"



7,5X60 3"X24"



SKIRTING 7,5X119,5 3"X48"

BLUE



ROSE



YELLOW



WHITE



GREEN



BLACK



PAINT-IT CODES

SIZE	Blue	Rose	Yellow	White	Green	Black
15x119,5 6"x48"	4100585	4100584	4100587	4100583	4100582	4100586
7,5x119,5 3"x48"	4100617	4100616	4100619	4100615	4100614	4100618
7,5x60 3"x24"	4100623	4100622	4100625	4100621	4100620	4100624
Skirting	4100629	4100628	4100631	4100627	4100626	4100630

PAINT-IT PACKING

PAINT-IT	pcs	m ²	kg/box	box/pal	m ² /pal	kg/pal	thickness
15x119,5 6"x48"	6	1,08	22,20	36	38,88	799,20	9,5 mm
7,5x119,5 3"x48"	8	0,72	14,60	50	36,00	730,00	9,5 mm
7,5x60 3"x24"	16	0,72	14,60	40	28,80	584,00	9,5 mm
Skirting	6	-	11,00	-	-	-	9,5 mm

PAINT-IT colori stucchi consigliati / advised grouts colors
ALL COLORS Mapei 100 White

PAINT-IT TECHNICAL FEATURES



NORMA STANDARD	CARATTERISTICHE FEATURES	VALORE PRESCRITTO VALUE REQUIRED	PAINT-IT
ISO 10545/2	DIMENSIONI - SIZE		
	lunghezza e larghezza length and width	± 0,6 % / ± 2 mm	± 0,6 % / ± 2 mm
	spessore thickness	± 5 %	± 5 %
	rettilinearità degli spigoli straightness of edges	± 0,5 %	± 0,5 %
	ortogonalità wedging	± 0,6 %	± 0,6 %
	planarità flatness	± 0,5 %	± 0,5 %
ISO 10545/3	assorbimento d'acqua water absorption	<0,5 %	0,3 %
ASTM C373	water absorption	<0,5 %	meets the standards
ISO 10545/9	resistenza agli sbalzi termici thermal shock	nessuna alterazione visibile no visible alteration	resiste resistant
	ASTM C484	thermal shock	unaffected
ISO 10545/12	resistenza al gelo frost/freeze resistance	nessuna alterazione visibile no visible alteration	resiste resistant
	ASTM C1026	frost/freeze resistance	unaffected
ISO 10545/13	resistenza agli attacchi chimici chemical resistance	nessuna alterazione visibile no visible alteration	A LA HA
	ASTM C650	chemical resistance	unaffected
ISO 10545/4	resistenza alla flessione breaking strength	≥ 35 N/ mm ²	42 N/ mm ²
ISO 10545/7	resistenza all'abrasione visible abrasion resistance		PEI V
	ASTM C1027	visible abrasion resistance	CLASS I-V
ISO 10545/14	resistenza alle macchie stain resistance	≥ CLASSE 3	4
	ASTM C1378	stain resistance	≥ CLASSE 3
DIN 51130	scivolosità anti-slip		R9
DCOF	dynamic coefficient of friction	> 0,42	0,42
ANSI A137.1	aesthetic classes	V0-V4	V1